

Governor



HOWARD A. ZUCKER, M.D., J.D. Commissioner

LISA J. PINO, M.A., J.D. Executive Deputy Commissioner

New York State COVID-19 Vaccination Program **Temperature Excursion Report**

An out-of-range temperature incident, also called a temperature excursion is any temperature outside therecommended range for a vaccine. The TOTAL amount of time a vaccine is stored at an out-of-range temperature affects the viability of the vaccine.

Complete this report to gather information vaccine manufacturers will need to make a stability determination. For vaccines in question, *label the vaccine "DO NOT USE"* and if applicable, move it to a unit where it can be stored at the correct temperature. Download your digital data logger data to gather information on duration of excursion. Do not administer any affected vaccine until you have determined its efficacy with the manufacturer and report the excursion to the New York State Department of Health Vaccine Program at vaccinetempexcursion@health.ny.gov.

Recommended Temperature Ranges					
MANUFACTURER	REFRIGERATOR	FREEZER	ULT FREEZER	THERMAL SHIPPER	
PFIZER	2° C to 8° C (36° F to 46° F) 31 days	-25° C to -15° C (-13° F to 5° F) 2 weeks cumulative	-80° C to -60° C (-112° F and -76° F) Until expiration date	-90° C to -60° C * (-130° F to -76° F)	
MODERNA	2° C to 8° C (36° F to 46° F) 30 days	-50° C to -15° C (-58° F to 5° F) Until expiration date	N/A	N/A	
Janssen	2° C to 8° C (36° F to 46° F) Until expiration date	N/A	N/A	N/A	

* Storage within this temperature range is not considered an excursion from the recommended storage condition.

Step 1: Record the temperature excursion details.

Select affected vaccine:
Pfizer
Moderna
Janssen

Temperatures out of range: I too cold **I** too warm

Excursion start date: Excursion end date:

Affected vaccines stored in:

□ refrigerator □ freezer	r 🛛 ULT freezer 🔲 thermal shipper 🖾 transport container
Check if related to:	
□ redistribution □ off	f-site/mobile clinic 🛛 emergency transport
What was the coldest ter	nperature:
Total duration of excursion	on:(hrs./mins.)
Description of incident: _	

Step 2: Record manufacturer's stability determination.

- Contact the vaccine manufacturer using phone information below.
- Request a case number/reference number for your call and document the number provided.
- Communicate information about this and any prior excursions affecting these doses
- Request stability letters of electronic reports from the manufacturers; keep for your records for threeyears.
- Document the manufacturer's resolution on this form.

MANUFACTURER	Phone	Doses Administered?	Stability Determination	Case or Reference#
PFIZER	800-666-7248 option 8	🗆 Yes 🔲 No	May useMay not use	
MODERNA	866-663-3762 Online	🗆 Yes 🛛 No	May useMay not use	
JANSSEN	1-800-565-4008	🗆 Yes 🛛 No	May useMay not use	

Resolution:

Step 3: Determine viability.

If manufacturer determines vaccines are okay to use:

- Remove "DO NOT USE" sign and alert your supervisor. Vaccines are okay to administer. If manufacturer determines vaccines **may not** be viable and are NOT okay to use:
 - Dispose of the non-viable vaccine as medical waste, such as by placing in a sharps container.
 - Document wasted doses in NYSIIS (guidance found here).

Step 4: Contact Information

Facility/Provider Name:	
NYSIIS COVID PIN#:	
Name of Person Submitting:	
Phone Number:	
Email:	

Step 5: Submit the Temperature Excursion Report and attach relevant documents.

 Submit this report to <u>vaccinetempexcursion@health.ny.gov</u> and include any supporting documentationsuch as data logger summary report (or section showing excursions), vaccine transport log, temperature log, etc.